# SI A&P - Full Discipline Demo - Fetal Pig

## Blood

## Final Report - Answer Guide

**Institution** Science Interactive University


**Session** SI A&P - Full Discipline Demo - Fetal Pig **Course** SI A&P - Full Discipline Demo - Fetal Pig

**Instructor** Sales SI Demo

## Test Your Knowledge




#### Match each term with the best description.



#### Correct answers:

- 1 Eosinophil 2 Monocyte 3 Lymphocyte 4 Erythrocyte
- 5 Neutrophil 6 Basophil 7 Platelets


#### Label each blood group on the image below.



#### Correct answers:

1 Group A 2 Group B 3 Group AB 4 Group O

#### Label the blood elements by volume on the figure below.



#### Correct answers:

1 Plasma 2 White blood cells and platelets 3 Red blood cells

## Exploration

Human blood is composed primarily of white blood cells and platelets.



|            | ingest the foreign invaders found mainly in the blood.   |
|------------|--|
|            | Monocytes  |
|            | Basophils  |
|            | Lymphocytes  |
|            | Neutrophils <  |
|            | ents lacking one of the ABO type or Rh factor antigens cannot receive od from a donor with a blood type containing that antigen.           |
|            | True ✓   |
|            | False  |
|            | function and appearance of the five main types of leukocytes. Which types were   |
|            |  |
| Basophil   | . Decembel a recent to inflammation and allows a recognized  |
| • Function | : Basophils react to inflammation and allergic responses.  |
| • Appeara  | nce: Basophils have dark granules which contain histamine, heparin, and cytokines.   |
| Neutrophil |  |
| • Function | : <b>Neutrophils</b> ingest (phagocytize) foreign invaders mainly in the blood.  |
|            | nce: Neutrophils have a segmented nucleus that consists of three to five lobes (though immature nils may have a horseshoe-shaped nucleus). |
| Eosinophil |  |
| • Function | : <b>Eosinophils</b> respond to allergic reactions and destroy invaders, particularly parasitic invaders.                                  |
| • Appeara  | nce: Eosinophils have granules that stain pink.  |
| Monocyte   |  |
|            | : <b>Monocytes</b> ingest (phagocytize) and destroy foreign invaders once they leave blood circulation ey are then called macrophages.     |



• Appearance: Monocytes are the largest of the white blood cells, with a nucleus to cell ratio of 1:3.

#### Lymphocyte

- Function: Lymphocytes play a role in responding to foreign invaders (bacteria and viruses) and producing antibodies.
- Appearance: Lymphocytes have a large nucleus that occupies most of the cell.

Students should identify which types were present in the image uploaded into Photo 2.

| Which of the cells on your labeled slide contain hemoglobin? Relate the numbers of th | ıese |
|---|------|
| cells appearing in Photo 2 to their function.   |      |

Erythrocytes, or red blood cells contain hemoglobin. Most of the cells observed in Photo 2 were red blood cells which function to transport oxygen throughout the body.

# What is the function of platelets. How did these elements appear in the provided blood smear in Photo 3?

Platelets aid in the clotting process by sticking to exposed collagen and blocking damaged blood vessel walls. Platelets appeared as small fragments in Photo 3.


Photo 1: Prepared Slide - Blood Smear







# Photo 2: Magnified Blood Smear (SAMPLE ANSWER BELOW)






# Data Table 1: Blood Smear Magnification and Characteristics (SAMPLE ANSWER BELOW)


| (SAMPLE ANSWER BELOW) |               |   |  |  |  |
|-----------------------|---------------|---|--|--|--|
| Structure             | Magnification | Characteristics   | Comments   |  |  |
| Prepared Blood Smear  | 600X          | The image includes mainly erythrocytes, but also some white blood cells, and platelets. | Students should only comment if they were unable to label a structure. |  |  |
| Provided Blood Image  | 600x          | The image includes mainly erythrocytes, but also some white blood cells, and platelets. | Students should compare their blood smear to provided image.           |  |  |

# Photo 3: Human Blood Provided Image (SAMPLE ANSWER BELOW)



Red blood cell





## Exercise 2

What determines blood type?

Blood type is determined by the presence or absence of A, B, and/or Rh antigens on the surface of red blood cells.



| What causes agglutination. How was it observed in this exercise?   |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
| Agglutination is the aggregation of red blood cells caused by the interaction between the antiger  |  |  |  |  |
| present on the outside of the cells and the corresponding antibodies in the blood plasma. Agglutination was observed in this exercise as clear plasma containing red dots as seen in wells and Rh in the image in Photo 4. |  |  |  |  |
| Based on your results recorded in Photo 4 and Panel 1, which types of blood could you  |  |  |  |  |
| receive in a transfusion to avoid the risk of an antibody/antigen reaction?  |  |  |  |  |
|  |  |  |  |  |
| Student answers must match their results recorded in Photo 4 and Panel 1. General key:   |  |  |  |  |
| Type A+ can receive from: A+, A-, O+, and O  |  |  |  |  |
| Type A- can receive from A- and O  |  |  |  |  |
| Type B+ can receive from B+, B-, O+, and O   |  |  |  |  |
| Type B- can receive from B- and O  |  |  |  |  |
| Type AB+ can receive from all other blood types.   |  |  |  |  |
| Type AB- can receive from A-, B-, AB-, and O   |  |  |  |  |
| Type O+ can receive from O+ and O-,  |  |  |  |  |
| Type O- can only receive from O  |  |  |  |  |
|  |  |  |  |  |
| Based on your results recorded in Photo 4 and Panel 1, which blood types could you safely<br>donate blood to?  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
| Not to instructors: student answers will vary but must be supported by the results recorded in Photo 4 and Pan 1.  |  |  |  |  |
| General key:   |  |  |  |  |



Type A+ can donate to: A+ and AB+

Type A- can donate to A+, A-, AB+, and AB-.

Type B+ can donate to B+ and AB+.

Type B- can donate to B+, B-, AB+, and AB-.

Type AB+ can donate to AB+.


Type AB- can donate to AB+ and AB-.

Type O+ can donate to A+, B+, AB+, and O+.

Type O- can donate to all blood types.

## Photo 4: Blood Typing Results (SAMPLE ANSWER BELOW)

# Note to instructors: students perform blood test on their blood so results will vary.





# Panel 1: Blood Typing Results (SAMPLE ANSWER BELOW)


Note to instructors: Student analysis conclusions for their blood type must match image uploaded in Photo 4. In the example image for this KEY, the student should have concluded their blood type as  $A^+$ .

## **Competency Review**

| The formed elements of blood include                             |          |
|--|----------|
| erythrocytes   |          |
| <ul><li>leukocytes</li></ul>                                     |          |
| <ul><li>platelets</li></ul>                                      |          |
| All of the above   | <b>*</b> |
| Human blood is composed primarily of plasma and red blood cells. |          |
| ○ True   | <b>✓</b> |
| • False  |          |
| are cell fragments that aid in the clotting process.             |          |
| <ul><li>Erythrocytes</li></ul>                                   |          |
| <ul> <li>Monocytes</li> </ul>                                    |          |
| Platelets  | <b>✓</b> |
| Neutrophils  |          |
|  |          |
|  |          |


| are leukocytes with dark granules containing histamine and hepar                     | in.      |
|--|----------|
| Basophils  | ~        |
| <ul><li>Erythrocytes</li></ul>   |          |
| <ul> <li>Thrombocytes</li> </ul>   |          |
| <ul> <li>Lymphocytes</li> </ul>  |          |
| are proteins embedded in the surface of red blood cells.                             |          |
| <ul> <li>Antibodies</li> </ul>   |          |
| ○ Antigens   | ✓        |
| Hemoglobins  |          |
| ○ Cilia  |          |
| Agglutination occurs when antibodies combine with antigens.  True  False             | <b>✓</b> |
| Blood smear slides should be rinsed with after staining with Wrigh stain and buffer. | t's      |
| <ul><li>alcohol</li></ul>  |          |
| sodium hydroxide   |          |
| o vinegar  |          |
| distilled water  | ✓        |
|  |          |

The arrow in the image of a stained blood smear below is pointing to a(n) \_\_\_\_\_.



- erythrocyte
- basophil
- monocyte
- platelet

The blood typing results in the image below indicate type \_\_\_\_ blood.



- O-negative
- A-positive
- B-positive
- AB-negative

## **Extension Questions**

Erythropoietin (EPO) is the hormone that promotes the production of red blood cells. Apply your knowledge of blood to explain why EPO is a popular "doping" drug for athletes. (SAMPLE ANSWER BELOW)



Red blood cells function to transport oxygen to cells throughout the body and exchange CO2. Increased red blood cell numbers in the athlete's body would allow for higher levels of blood oxygenation and therefore higher performance outputs.

