SI Biology - Full Discipline Demo

Invertebrates: Arthropoda, Mollusca, and Echinodermata


Final Report - Answer Guide

InstitutionScience Interactive UniversitySessionSI Biology - Full Discipline DemoCourseSI Biology - Full Discipline Demo

Instructor Sales SI Demo

Test Your Knowledge

Categorize each phrase as belonging to phylum Mollusca, Arthropoda, or Echinodermata.




Correct answers:

- 1 Soft body surrounded by a shell Squid, snails, bivalves Mantle
- Segmented body Jointed appendages Insects, crustaceans, arachnids
- 3 Sea stars, sand dollars, sea cucumbers Water vascular system

Calcareous endoskeleton

Match each term with the best description.



Exploration

The insects of phylum are the most numerous terrestrial animals (Earth.	on
Arthropoda	~
Mollusca	
Echinodermata	
 Annelida 	
Coelomate organisms are classified as protostomes or deuterostomes based on the development of the blastopore.	
○ True	✓
○ False	

The	extends from the anterior end of the clam to provide mobility.
	incurrent siphon
	palps
	umbo
	foot
	surround the mouth of the grasshopper and function to taste and feel ential food sources.
	Spiracles
	Palps ✓
	Malpighian tubules
	Gastric caeca
0	cardiac stomach ampullae pyloric stomach
] functions of the mantle in the clam? Reference the structures labeled in Photoxplanation.
which creat	epidermis of the mantle secretes calcium carbonate to form a protective shell, a becomes the valves of the clam as labeled in Photo 1. The mantle also es a body cavity where respiration occurs. In clams, the mantle cavity houses isceral mass, gills, and palps that were labeled in Photo 2.





Describe the three functions of the gills in the clam. Reference structures labeled in Photo 2 in your explanation.

The gills function for respiration, food collection, and water movement within the mantle cavity. The cells of the gills contain cilia that beat to create suction to draw water into mantle cavity through the incurrent siphon. Food is filtered from incurrent water and trapped by mucus that is also secreted by the cells of the gills. The mucus is then passed to the palps, two flaps of tissue that lie to either side of the mouth, where it enters the digestive system. The gill and palps were labeled in Photo 2.

What are triploblastic organisms? Which structures of the clam correspond to the tissue layers of triploblastic organisms?

Triploblastic animals have tissues derived from three embryonic cell layers: the endoderm, mesoderm, and ectoderm. The clam has a mantle containing an epidermis derived from the ectoderm, the presence of muscles that derived from the mesoderm, and the presence of a digestive system that may have arisen from the endoderm.










Photo 2: Internal Anatomy of the Clam (SAMPLE ANSWER BELOW)

Describe the functions of the digestive organs of the grasshopper. Reference Photo 4 in your explanation. The digestive system is composed of a large crop where ingested food is stored, gastric ecca located behind the crop function to secrete digestive enzymes and house bacteria that assist in the breakdown of food. The stomach is located in the middle region of the digestive tract and secretes addition enzymes to break down food molecules. The intestines are the site of most nutrient absorption in the grasshopper. Digestive wastes are stored in the rectum before being excreted from the body. Each of these structures were labeled in Photo 4. What is the function of the Malpighian tubules? Where are they located in the body of the grasshopper? Reference Photo 4 in your explanation.	
The digestive system is composed of a large crop where ingested food is stored, gastric ceca located behind the crop function to secrete digestive enzymes and house bacteria that assist in the breakdown of food. The stomach is located in the middle region of the digestive tract and secretes addition enzymes to break down food molecules. The intestines are the site of most nutrient absorption in the grasshopper. Digestive wastes are stored in the rectum before being excreted from the body. Each of these structures were labeled in Photo 4. What is the function of the Malpighian tubules? Where are they located in the body of the	Exercise 2
gastric ceca located behind the crop function to secrete digestive enzymes and house bacteria that assist in the breakdown of food. The stomach is located in the middle region of the digestive tract and secretes addition enzymes to break down food molecules. The intestines are the site of most nutrient absorption in the grasshopper. Digestive wastes are stored in the rectum before being excreted from the body. Each of these structures were labeled in Photo 4. What is the function of the Malpighian tubules? Where are they located in the body of the	
gastric ceca located behind the crop function to secrete digestive enzymes and house bacteria that assist in the breakdown of food. The stomach is located in the middle region of the digestive tract and secretes addition enzymes to break down food molecules. The intestines are the site of most nutrient absorption in the grasshopper. Digestive wastes are stored in the rectum before being excreted from the body. Each of these structures were labeled in Photo 4. What is the function of the Malpighian tubules? Where are they located in the body of the	
gastric ceca located behind the crop function to secrete digestive enzymes and house bacteria that assist in the breakdown of food. The stomach is located in the middle region of the digestive tract and secretes addition enzymes to break down food molecules. The intestines are the site of most nutrient absorption in the grasshopper. Digestive wastes are stored in the rectum before being excreted from the body. Each of these structures were labeled in Photo 4. What is the function of the Malpighian tubules? Where are they located in the body of the	The digestive system is composed of a large crop where ingested food is stored
middle region of the digestive tract and secretes addition enzymes to break down food molecules. The intestines are the site of most nutrient absorption in the grasshopper. Digestive wastes are stored in the rectum before being excreted from the body. Each of these structures were labeled in Photo 4. What is the function of the Malpighian tubules? Where are they located in the body of the	gastric ceca located behind the crop function to secrete digestive enzymes and
grasshopper. Digestive wastes are stored in the rectum before being excreted from the body. Each of these structures were labeled in Photo 4. What is the function of the Malpighian tubules? Where are they located in the body of the	middle region of the digestive tract and secretes addition enzymes to break down
the body. Each of these structures were labeled in Photo 4. What is the function of the Malpighian tubules? Where are they located in the body of the	




The Malpighian tubules function as the excretory system of the grasshopper by filtering nitrogen wastes from the surrounding hemolymph fluid. The tubules are attached to the digestive tract between the stomach and the intestine as labeled in Photo 4.

What is a coelomate organism? What is the function of the coelom in the grasshopper?

Coelomate animals have a true body cavity (the coelom), that develops within the mesoderm tissues. The body cavity, termed the **hemocoel** in the grasshopper, houses the internal organs which are bathed in a blood-like fluid called hemolymph.

Photo 3: External Anatomy of the Grasshopper (SAMPLE ANSWER BELOW)



Gastric Malpighian tubules
Stomach Rectum

Crop

Photo 4: Internal Anatomy of the Grasshopper $({\sf SAMPLE}\ {\sf ANSWER}\ {\sf BELOW})$



Exercise 3			
What is the water vascular system? Which structures labeled in Photo 7 are part of this system?			
The water vascular system consists of a series of canals that transport water throughout the body for the movement of tubed feet, respiration, nutrient transport, and waste elimination. The water vascular system was observed in Photo 7 with the labeled radial canal in the center of each ambulacral groove and the labeled ampullae, pouch-like structures that expand and contract to pump water into the tube feet.			
Describe the feeding behavior and digestive system of the sea star. Reference the labeled structures on Photos 5-6 in your answer.			
The digestive system consists of two stomachs in the disc connected via pyloric ducts to digestive glands in each of the rays. During feeding, the cardiac stomach is everted from the mouth to			

secrete enzymes onto the food source. Partially digested food is then ingested and moved to the pyloric stomach before being transported to digestive glands in each ray for further breakdown and absorption. Food wastes are returned to the pyloric stomach where they are excreted through the anus which opens on the dorsal surface of the sea star. The mouth was labeled in Photo 5,




whereas all other structures with the exception of the anus were labeled in Photo 6.

Why is the sea star dissected in this exercise classified as a deuterostome? Include the definitions of protostome and deuterostome in your answer.

The sea star is classified as a deuterostome because in the embryo, the blastopore develops into the anus of the adult. In protostomes, the blastopore (the first opening) of the embryo develops into the mouth of the adult. In deuterostomes, the blastopore develops into the anus of the adult. All coelomate invertebrate phyla are protostomes except for Echinodermata, which is the phylum of the sea star.

Photo 5: External Anatomy of the Sea Star (SAMPLE ANSWER BELOW)








Photo 7: Cross Section of the Sea Star (SAMPLE ANSWER BELOW)

Dermal spine

Ampullae

Radial canal

Coelomic cavity

Competency Review Invertebrate phylum Mollusca includes _____. earthworms slugs jellyfish crustaceans Members of phylum Arthropoda are classified as protostomes. True False Respiration occurs in the ____ of mollusks. hemocoel spiracles mantle cavity water vascular system Arthropods possess a calcareous endoskeleton. True False



	are a characteristic of phylum Echinodermata.	
	Palps	
	Mantles	
	Segmented bodies	
	Tube feet	~
The	must be severed to open the shell of a clam during dissection.	
	must be severed to open the shell of a clam during dissection.	•
	must be severed to open the shell of a clam during dissection. visceral mass	~

The $\underline{\hspace{1cm}}$ of the jumping leg is indicated in the image of a grasshopper below.



The	digestive glands are located in the of the sea star.	
	central disc	
	mouth	
	rays	✓
	mantle cavity	
the	palps of clams, located adjacent to the gills, function to direct food imouth. True False	into ✓

Extension Questions

Cephalopods are a class of aquatic invertebrates possessing complex nervous systems, large eyes, a mouth surrounded by arms lined with sucker discs, and jet-propelled motility. Cephalopods breathe through gills attached to the roof of the mantle cavity and feed by actively capturing other invertebrates and fish. Apply your knowledge of invertebrate phyla and their characteristics to explain why cephalopods belong in the phylum Mollusca, even though they are dissimilar to the clam. (SAMPLE ANSWER BELOW)

Cephalopods belong in the phylum Mollusca because they have a mantle that forms the mantle cavity used for respiration, which is the common characteristic of all mollusks.